



Health Monitoring and Screening Mobile Application

> Jarrod Harper Application Developer / Data Integrator 05/15/2020

Application Details

- Development Platform: Kony Quantum
- Language: JavaScript
- Application Type: Mobile Web
- Supported Devices: Android Phone & iPhone
- Authentication: Active Directory
- Notification Type: Email
- Dashboard: Power BI
- Dev Time from Start to Go Live: 55 Hours
- **Go Live Issues**: Authentication bug and support for small device screens




Application Images

10:40 🔟 🖬 55°	◍◈⊿▮							
Version: 1.1.8 Version: electric power company Health Monitoring and Screening								
LOGIN								
Jharper								
•••••								
LOGIN								
Remember Username								
Remember Password								
Use your VELCO network us password to log into th								
COPYRIGHT © 2018 VERMONT ELECTRIC POWE	R CO. ALL RIGHTS RESERVED.							
<								

1:16 🗷 🖾 🖬 • 🕕 🗣 🖉 📋						
VELCO COVID-19 Self-Monitoring and Screening						
Initial temperature check and questionnaire must be completed at the beginning of each day before proceeding to work.						
Pinnacle						
Submit a Health Screen						
Thermometer Directions						
Log Out						
<						



Application Images





Application Images

Thank you for submitting your health screen.

- If you begin to feel ill during work, safely stop what you are doing, leave the work area and immediately notify your Manager, Safety & HR.

- Always contact your health care provider if you have any questions or concerns with you or your family's health.

Ok

Answers to all questions are "No"

Because you answered "Yes" to one or more of the screening questions, we are concerned for your health and the health of others. Please immediately return home, call your health care provider and notify your Manager, Safety and HR.

Answer to at least one question is "Yes"



Dashboard for HR and Safety

Screen Date	Health Screening Dashboard									
5/6/2020 5/14/2020									0 011 01	
00	ScreenDate ▼	FirstName LastName	Location	Temperature	Chills	Cough	Breathing	Smell	ContactSymptoms	ContactCOVID ^
	5/7/2020		Field	False	False	False	False	False	False	False
	5/7/2020		Field	False	False	False	False	False	False	False
Screen Location	5/7/2020	_	Pinnacle	False	False	False	False	False	False	False
	5/7/2020		Field	False	False	False	False	False	False	False
All 🗸	5/7/2020		Pinnacle	False	False	False	False	False	False	False
	5/7/2020		Field	False	False	False	False	False	False	False
	5/7/2020		Substation	False	False	False	False	False	False	False
Beginning May 6, 2020	5/7/2020		Field	False	False	False	False	False	False	False
	5/7/2020	_	Field	False	False	False	False	False	False	False
219	5/7/2020		Field	False	False	False	False	False	False	False
	5/7/2020	_	Other	False	False	False	False	False	False	False
Number of Screens	5/7/2020	_	Field	False	False	False	False	False	False	False
	5/7/2020		Other	False	False	False	False	False	False	False
	5/7/2020	_	Substation	False	False	False	False	False	False	False
	5/7/2020		Field	False	False	False	False	False	False	False
	5/7/2020		Field	False	False	False	False	False	False	False
	5/7/2020		Substation	False	False	False	False	False	False	False
	5/7/2020		Field	False	False	False	False	False	False	False
	5/7/2020		Other	False	False	False	False	False	False	False
	5/7/2020		Field	False	False	False	False	False	False	False
	5/7/2020		Field	False	False	False	False	False	False	False
	5/7/2020		Field	False	False	False	False	False	False	False
	5/7/2020		Field	False	False	False	False	False	False	False
	5/6/2020		Other	False	False	False	False	False	False	True



Application Diagram

